

Telefax: +49 (0) 941 70 46 60

according to UK REACH Regulation

### innobike 205 BIKE CLEANER active FOAM

Revision date: 28.09.2021 Page 1 of 14

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

innobike 205 BIKE CLEANER active FOAM

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Aerosol - Washing and cleaning products

SURFACE CLEANERS (liquid, powder, gel neat, spray neat) for consumer use

### 1.3. Details of the supplier of the safety data sheet

Company name: innotech-Vertriebs GmbH

Street: Junkerstrasse 16
Place: D-93055 Regensburg

Telephone: +49 (0) 941 70 08 78 e-mail: info@innotech-r.de
Contact person: Mr. Massen

Internet: www.innotech-r.de
Responsible Department: sales department

1.4. Emergency telephone +49 (0) 941 70 08 78

number: Only available during office hours.

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Hazard categories: Aerosol: Aerosol 1

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Extremely flammable aerosol.

Pressurised container: May burst if heated.

Causes serious eye irritation.

### 2.2. Label elements

# **GB CLP Regulation**

Signal word: Danger

Pictograms:





## **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

# **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.



according to UK REACH Regulation

#### innobike 205 BIKE CLEANER active FOAM

Revision date: 28.09.2021 Page 2 of 14

P410+P412

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### 2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name			Quantity			
	EC No	Index No	REACH No				
	GHS Classification	•	•				
67-63-0	propan-2-ol; isopropyl alcohol; is	propan-2-ol; isopropyl alcohol; isopropanol					
	200-661-7	603-117-00-0	01-2119457558-25				
	Flam. Liq. 2, Eye Irrit. 2, STOT S	E 3; H225 H319 H336					
106-97-8	butane			5 - < 10 %			
	203-448-7	601-004-00-0	01-2119474691-32				
	Flam. Gas 1, Liquefied gas; H22	0 H280					
74-98-6	propane			2.5 - < 5 %			
	200-827-9	601-003-00-5	01-2119486944-21				
	Flam. Gas 1, Liquefied gas; H22	0 H280					
111-76-2	2-butoxyethanol			2.5 - < 5 %			
	203-905-0		01-2119475108-36				
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H312 H302 H315 H319						

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	No Chemical name						
	Specific Conc. L	Specific Conc. Limits, M-factors and ATE						
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol						
	dermal: LD50 = 13900 mg/kg; oral: LD50 = 5840 mg/kg							
111-76-2	203-905-0	203-905-0 2-butoxyethanol						
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: LD50 = 1414 mg/kg							

# Labelling for contents according to Regulation (EC) No 648/2004

5~% - < 15~% aliphatic hydrocarbons, < 5~% anionic surfactants, perfumes.

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

# **General information**

When in doubt or if symptoms are observed, get medical advice.

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

# After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an



according to UK REACH Regulation

#### innobike 205 BIKE CLEANER active FOAM

Revision date: 28.09.2021 Page 3 of 14

ophthalmologist immediately.

#### After ingestion

Observe risk of aspiration if vomiting occurs. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

# Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

#### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Extremely flammable aerosol. Pressurized container: May burst if heated. Vapours can form explosive mixtures with air.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

### General measures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

# 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

# 6.3. Methods and material for containment and cleaning up

# Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Do not pierce or burn, even after use.

#### Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep away from sources of ignition - No smoking. Take precautionary



according to UK REACH Regulation

### innobike 205 BIKE CLEANER active FOAM

Revision date: 28.09.2021 Page 4 of 14

measures against static discharges. Vapours can form explosive mixtures with air.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

#### Further information on handling

Heating causes rise in pressure with risk of bursting.

# 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

## 7.3. Specific end use(s)

Aerosol - Washing and cleaning products

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

# **Biological Monitoring Guidance Values (EH40)**

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol		Post shift



Print date: 05.10.2021

according to UK REACH Regulation

# innobike 205 BIKE CLEANER active FOAM

Revision date: 28.09.2021 Page 5 of 14

# **DNEL/DMEL values**

CAS No	Substance			
DNEL type	•	Exposure route	Effect	Value
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			·
Worker DNEL	_, long-term	dermal	systemic	888 mg/kg bw/day
Worker DNEI	_, long-term	inhalation	systemic	500 mg/m³
Consumer Di	NEL, long-term	dermal	systemic	319 mg/kg bw/day
Consumer Di	NEL, long-term	inhalation	systemic	89 mg/m³
Consumer Di	NEL, long-term	oral	systemic	26 mg/kg bw/day
111-76-2	2-butoxyethanol			
Worker DNEL	_, long-term	inhalation	systemic	98 mg/m³
Worker DNEL	_, acute	inhalation	systemic	1091 mg/m³
Worker DNEL	_, acute	inhalation	local	246 mg/m³
Worker DNEI	_, long-term	dermal	systemic	125 mg/kg bw/day
Worker DNEL	_, acute	dermal	systemic	89 mg/kg bw/day
Consumer Di	NEL, long-term	inhalation	systemic	59 mg/m³
Consumer Di	NEL, acute	inhalation	systemic	426 mg/m³
Consumer Di	NEL, acute	inhalation	local	147 mg/m³
Consumer DNEL, long-term		dermal	systemic	75 mg/kg bw/day
Consumer Di	Consumer DNEL, acute		systemic	89 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	6,3 mg/kg bw/day
Consumer Di	NEL, acute	oral	systemic	26,7 mg/kg bw/day



according to UK REACH Regulation

#### innobike 205 BIKE CLEANER active FOAM

Revision date: 28.09.2021 Page 6 of 14

#### **PNEC values**

CAS No	Substance	
Environmer	tal compartment	Value
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	
Freshwater		140,9 mg/l
Freshwater	(intermittent releases)	140,9 mg/l
Marine water	er	140,9 mg/l
Freshwater	sediment	552 mg/kg
Marine sedi	ment	552 mg/kg
Secondary	poisoning	160 mg/kg
Micro-organisms in sewage treatment plants (STP)		2251 mg/l
Soil		28 mg/kg
111-76-2	2-butoxyethanol	
Freshwater		8,8 mg/l
Freshwater	(intermittent releases)	26,4 mg/l
Marine water	er	0,88 mg/l
Freshwater sediment		34,6 mg/kg
Marine sediment		3,46 mg/kg
Secondary poisoning		20 mg/kg
Micro-organisms in sewage treatment plants (STP)		463 mg/l
Soil		2,33 mg/kg

#### 8.2. Exposure controls

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye/face protection. Suitable eye protection: goggles. DIN EN 166

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: Butyl caoutchouc (butyl rubber) EN ISO 374

Thickness of the glove material: >=0,4 mm

Breakthrough time: 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Wear anti-static footwear and clothing

## Respiratory protection

In case of inadequate ventilation wear respiratory protection. Suitable respiratory protection apparatus: Combination filtering device AX-P2

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: whitish
Odour: like: Lemon

**Test method** 



according to UK REACH Regulation

### innobike 205 BIKE CLEANER active FOAM

Revision date: 28.09.2021 Page 7 of 14

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

<-20 °C

boiling range:

Flash point: < -20 °C

**Flammability** 

Solid/liquid: not applicable
Gas: not applicable

**Explosive properties** 

Heating may cause an explosion. In use, may form flammable/explosive vapour-air mixture.

Lower explosion limits: 1,5 vol. % Upper explosion limits: 13 vol. % Auto-ignition temperature: > 350 °C Decomposition temperature: not determined

**Oxidizing properties** 

The product is not: oxidising.

pH-Value (at 20 °C): 8,8

Viscosity / kinematic: not determined
Water solubility: easily soluble

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Vapour pressure: not determined

Density (at 20 °C): 0,8675 g/cm³ calculated.

Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Sustaining combustion: No data available

Other safety characteristics

Solid content: not determined Evaporation rate: not determined

**Further Information** 

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Extremely flammable aerosol. Pressurized container: May burst if heated.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

# 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.



according to UK REACH Regulation

### innobike 205 BIKE CLEANER active FOAM

Revision date: 28.09.2021 Page 8 of 14

## 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Chemical name						
	Exposure route	Dose		Species	Source	Method		
67-63-0	propan-2-ol; isopropyl	alcohol; isopi	opanol					
	oral	LD50 mg/kg	5840	Rat		OECD 401		
	dermal	LD50 mg/kg	13900	Rabbit		OECD 402		
111-76-2	2-butoxyethanol							
	oral	LD50 mg/kg	1414	Guinea pig	Study report (1994	OECD Guideline 401		
	dermal	ATE mg/kg	1100					
	inhalation vapour	ATE	11 mg/l					
	inhalation aerosol	ATE	1,5 mg/l					

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

# Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Other information

No further relevant information available.

### **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

The product is not: Ecotoxic.



according to UK REACH Regulation

# innobike 205 BIKE CLEANER active FOAM

Revision date: 28.09.2021 Page 9 of 14

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7-63-0	propan-2-ol; isopropyl alc	ohol; isopro	panol				
	Acute fish toxicity	LC50 mg/l	9640	96 h	Pimephales promelas	Publication (1983)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Scenedesmus subspicatus		
	Acute crustacea toxicity	EL50 mg/l	9714	48 h	Daphnia magna (Big water flea)		OECD 202
	Acute bacteria toxicity	(>100 m	g/l)				
06-97-8	butane						
	Acute fish toxicity	LC50 mg/l	49,9	96 h	Fish, no other information	United States Environmental Protection A	The Ecosar class program has beer developed primarily for the evaluation of neutral organic compounds and organic classes with excess toxicity.
	Acute algae toxicity	ErC50 mg/l	19,37	96 h	Algae	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.
	Acute crustacea toxicity	EC50 mg/l	69,43	48 h	Daphnia sp.	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.
74-98-6	propane						
	Acute fish toxicity	LC50 mg/l	49,9	96 h	Fish, no other information	United States Environmental Protection A	The Ecosar class program has been developed primarily for the evaluation of neutral organic compounds and organic classes with excess toxicity.
	Acute algae toxicity	ErC50 mg/l	19,37	96 h	Algae	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.
	Acute crustacea toxicity	EC50 mg/l	69,43	48 h	Daphnia sp.	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.
11-76-2	2-butoxyethanol						
	Acute fish toxicity	LC50 mg/l	1474	96 h	Oncorhynchus mykiss	Toxicol Mech Meth 12, 255-63 (2002)	OECD Guideline 203
	Acute algae toxicity	ErC50	911 mg/l	72 h	Pseudokirchneriella subcapitata	Toxicol Mech Meth 12, 255-63 (2002)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	1550	48 h	Daphnia magna	Toxicol Mech Meth 12, 255-63 (2002)	OECD Guideline 202



according to UK REACH Regulation

	innobike 205 BIKE CLEANER active FOAM						
Revision	date: 28.09.2021						Page 10 of
	Fish toxicity	NOEC mg/l	> 100	21 c	Danio rerio	Toxicol Mech Meth 12, 255-63 (2002)	OECD Guideline 204
	Algae toxicity	NOEC	286 mg/l	3 0	Pseudokirchneriella subcapitata		OECD 201
	Crustacea toxicity	NOEC	100 mg/l	21 c	Daphnia magna	Toxicol Mech Meth 12, 255-63 (2002)	OECD Guideline 211
	Acute bacteria toxicity	(700 mg	/I)	0 h	Pseudomonas putida		DIN 38412

#### 12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

(==):	10.0 10/200 1 011 dotoigonto.					
CAS No	Chemical name					
	Method	Value		d	Source	
	Evaluation					
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	Biodegradation 95% 21					
	Readily biodegradable (according to OECD criteria).					
111-76-2	2-butoxyethanol					
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	90,4%	·	28		
	Readily biodegradable (according to OECD criteria).					

#### 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	0,05
106-97-8	butane	1,09
74-98-6	propane	1,09
111-76-2	2-butoxyethanol	0,81

## 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

# 12.6. Endocrine disrupting properties

No information available.

# 12.7. Other adverse effects

No information available.

### **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

# List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste



according to UK REACH Regulation

# innobike 205 BIKE CLEANER active FOAM

Revision date: 28.09.2021 Page 11 of 14

#### Contaminated packaging

Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 2
Tunnel restriction code: D

Inland waterways transport (ADN)

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Special Provisions: 63, 190, 277, 327, 344, 381, 959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1950



according to UK REACH Regulation

### innobike 205 BIKE CLEANER active FOAM

Revision date: 28.09.2021 Page 12 of 14

14.2. UN proper shipping name: AEROSOLS, FLAMMABLE

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1

2.1

Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Flammable gases.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28

2010/75/EU (VOC): 33,21 % (288,093 g/l) 2004/42/EC (VOC): 33,214 % (288,13 g/l)

Information according to 2012/18/EU P3a FLAMMABLE AEROSOLS

(SEVESO III):

## **Additional information**

Regulation (EC) No. 648/2004 (Detergents regulation). To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC,

2008/47/EC

Aerosol directive (75/324/EEC).

## **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 3,4,6,7,8,9,11,12.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route



according to UK REACH Regulation

#### innobike 205 BIKE CLEANER active FOAM

Revision date: 28.09.2021 Page 13 of 14

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

## Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data
Eye Irrit. 2; H319	Bridging principle "Aerosols"

#### Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.

innotech-Vertriebs GmbH

# **Safety Data Sheet**



Print date: 05.10.2021

according to UK REACH Regulation

## innobike 205 BIKE CLEANER active FOAM

Revision date: 28.09.2021 Page 14 of 14

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)