SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

innobike 205 BIKE CLEANER ACTIVE FOAM Aerosol
UFI: E8R9-MKKS-X00J-K342

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Cleaning agent

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

innotech Vertriebs GmbH
Junkersstrasse 16
93055 Regensburg / GERMANY
Phone +49(0)941 38 22 22 85
Fax +49(0)941 38 22 22 87
Homepage www.inno-bike.com
E-mail info@inno-bike.com

Address enquiries to

Technical information info@inno-bike.com

Safety Data Sheet sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body Call NHS 111 or a doctor

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Aerosol 1: H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated.
Eye Irrit. 2: H319 Causes serious eye irritation.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.
The determination of properties hazardous to health does not take the propellant or carrier material into account.

Hazard pictograms

Signal word DANGER

Hazard statements

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C / 122 °F.

Cleaner, 648/2004/CE, contains:

5 - <15% aliphatic hydrocarbons (propellant)
< 5% anionic surfactant
perfumes

2.3 Other hazards

Human health dangers The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Environmental hazards This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
15 - <20	Propan-2-ol
	CAS: 67-63-0, EINECS/ELINCS: 200-661-7, EU-INDEX: 603-117-00-0, Reg-No.: 01-2119457558-25-XXXX
	GHS/CLP: Flam. Liq. 2: H225 - Eye Irrit. 2: H319 - STOT SE 3: H336
5 - <15	Butane
	CAS: 106-97-8, EINECS/ELINCS: 203-448-7, EU-INDEX: 601-004-00-0, Reg-No.: 01-2119474691-32-XXXX
	GHS/CLP: Flam. Gas 1A: H220 - Press. Gas: H280
1 - <5	Propane
	CAS: 74-98-6, EINECS/ELINCS: 200-827-9, EU-INDEX: 601-003-00-5
	GHS/CLP: Flam. Gas 1A: H220 - Press. Gas (Compressed gas): H280
1 - <3	2-Butoxyethanol
	CAS: 111-76-2, EINECS/ELINCS: 203-905-0, EU-INDEX: 603-014-00-0, Reg-No.: 01-2119475108-36-XXXX
	GHS/CLP: Acute Tox. 3: H331 - Acute Tox. 4: H302 - Skin Irrit. 2: H315 - Eye Irrit. 2: H319

Comment on component parts For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.
Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion Do not induce vomiting.
Rinse out mouth and give plenty of water to drink.
Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet.
Carbon dioxide.
Foam.
Dry powder.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products, carbon monoxide (CO), not combusted hydrocarbons
Bursting aerosols can be forcibly projected from a fire.

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
Cool containers at risk with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from all sources of ignition.
Ensure adequate ventilation.
Use personal protective equipment (protective gloves, safety glasses, protective clothing).

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up residues with absorbent material (e.g. sand).
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Keep away from all sources of ignition - Refrain from smoking.
Vapours can form an explosive mixture with air.

Do not eat, drink, smoke or take drugs at work.
Wash hands before breaks and after work.
Use barrier skin cream.

7.2 Conditions for safe storage, including any incompatibilities

Provide solvent-resistant and impermeable floor.

Do not store together with oxidizing agents.

Keep container in a well-ventilated place.
Keep container tightly closed.
Protect from heat/overheating and from sun.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance
Butane
CAS: 106-97-8, EINECS/ELINCS: 203-448-7, EU-INDEX: 601-004-00-0, Reg-No.: 01-2119474691-32-XXXX
Long-term exposure: 600 ppm, 1450 mg/m³
Short-term exposure (15-minute): 750 ppm, 1810 mg/m³
Propan-2-ol
CAS: 67-63-0, EINECS/ELINCS: 200-661-7, EU-INDEX: 603-117-00-0, Reg-No.: 01-2119457558-25-XXXX
Long-term exposure: 400 ppm, 999 mg/m³
Short-term exposure (15-minute): 500 ppm, 1250 mg/m³
2-Butoxyethanol
CAS: 111-76-2, EINECS/ELINCS: 203-905-0, EU-INDEX: 603-014-00-0, Reg-No.: 01-2119475108-36-XXXX
Long-term exposure: 25 ppm, 123 mg/m³, Sk, BMGV
Short-term exposure (15-minute): 50 ppm, 246 mg/m³

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

Substance / EC LIMIT VALUES
2-Butoxyethanol
CAS: 111-76-2, EINECS/ELINCS: 203-905-0, EU-INDEX: 603-014-00-0, Reg-No.: 01-2119475108-36-XXXX
Eight hours: 20 ppm, 98 mg/m³, H
Short-term (15-minute): 50 ppm, 246 mg/m³

DNEL

Substance
Butane, CAS: 106-97-8
There are no DNEL values established for the substance.
Propan-2-ol, CAS: 67-63-0
Industrial, dermal, Long-term - systemic effects, 888 mg/kg bw/day
Industrial, inhalative (vapor), Long-term - systemic effects, 500 mg/m³
general population, oral, Long-term - systemic effects, 26 mg/kg
general population, dermal, Long-term - systemic effects, 319 mg/kg bw/day
general population, inhalative (vapor), Long-term - systemic effects, 89 mg/m³
2-Butoxyethanol, CAS: 111-76-2
Industrial, inhalative (vapor), Long-term - systemic effects, 98 mg/m³
Industrial, inhalative (vapor), Acute - systemic effects, 1091 mg/m³
Industrial, inhalative (vapor), Acute - local effects, 246 mg/m³
general population, inhalative (vapor), Long-term - systemic effects, 59 mg/m³
general population, inhalative (vapor), Acute - systemic effects, 426 mg/m³
general population, inhalative (vapor), Acute - local effects, 147 mg/m³
general population, oral, Long-term - systemic effects, 6,3 mg/kg bw/day
general population, oral, Acute - systemic effects, 26,7 mg/kg bw/day

PNEC

Substance
Butane, CAS: 106-97-8
There are no PNEC values established for the substance.
Propan-2-ol, CAS: 67-63-0
There are no PNEC values established for the substance.
2-Butoxyethanol, CAS: 111-76-2
oral (food), 0,02 g/kg
freshwater, 8,8 mg/l
seawater, 0,88 mg/l

sewage treatment plants (STP), 463 mg/l
sediment (freshwater), 34,6 mg/kg
sediment (seawater), 3,46 mg/kg
soil, 2,33 mg/kg

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	0,4 mm Butyl rubber, >120 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Not required under normal conditions.
Other	Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: combination filter AX-P2. (DIN EN 14387)
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	See SECTION 6+7.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	aerosol
Color	whitish
Odor	citrus
Odour threshold	not determined
pH-value	8,8
pH-value [1%]	not applicable
Boiling point or initial boiling point and boiling range [°C]	not applicable
Flash point [°C]	not applicable
Flammability	Extremely flammable aerosol.
Lower explosion limit	1,5 Vol.-%
Upper explosion limit	13 Vol.-%
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not applicable
Density [g/cm³]	0,87 (cal.)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water [g/L]	miscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	not determined
Kinematic viscosity	not applicable
Relative vapour density	not applicable
Melting point [°C]	not applicable
Auto-ignition temperature [°C]	>350
Decomposition temperature [°C]	not applicable
Particle characteristics	not applicable

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Risk of bursting.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product
Based on the available information, the classification criteria are not fulfilled.

Substance
Propan-2-ol, CAS: 67-63-0
LC50, oral, Rat, 5045 mg/kg (RTECS)
2-Butoxyethanol, CAS: 111-76-2
LD50, oral, Rat, 1746 mg/kg (OECD 401)
LD50, oral, Guinea pig, 1414 mg/kg
ATE, oral, 1200 mg/kg

Acute dermal toxicity

Product
Based on the available information, the classification criteria are not fulfilled.

Substance
Propan-2-ol, CAS: 67-63-0
LD50, dermal, Rabbit, 13900 mg/kg
2-Butoxyethanol, CAS: 111-76-2
LD50, dermal, Guinea pig, > 2000 mg/kg (OECD 402)

Acute inhalational toxicity

Product
Based on the available information, the classification criteria are not fulfilled.

Substance
Butane, CAS: 106-97-8
LC50, inhalative, Rat, 658 mg/L (IUCLID)
Propan-2-ol, CAS: 67-63-0
LC50, inhalative, Rat, 25 mg/L air
2-Butoxyethanol, CAS: 111-76-2
LC0, inhalation (vapour), Guinea pig, > 3,1 mg/l/1h
ATE, inhalation (vapour), 3 mg/L

Serious eye damage/irritation Based on the available information, the classification criteria are fulfilled.
Irritant

Substance
Butane, CAS: 106-97-8
Eye, non-irritating
Propan-2-ol, CAS: 67-63-0
Eye, Rabbit, irritant
2-Butoxyethanol, CAS: 111-76-2
Study, irritant

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Substance
Butane, CAS: 106-97-8
dermal, non-irritating
Propan-2-ol, CAS: 67-63-0
dermal, non-irritating

2-Butoxyethanol, CAS: 111-76-2
Study, irritant

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Substance
Butane, CAS: 106-97-8
dermal, non-sensitizing
inhalative, non-sensitizing
Propan-2-ol, CAS: 67-63-0
dermal, Guinea pig, OECD 406, non-sensitizing
2-Butoxyethanol, CAS: 111-76-2
dermal, Guinea pig, OECD 406, negativ

Specific target organ toxicity — single exposure Based on available data, the classification criteria are not met.

Substance
Butane, CAS: 106-97-8
inhalative, non-irritating
2-Butoxyethanol, CAS: 111-76-2
inhalative, non-irritating

Specific target organ toxicity — repeated exposure Based on available data, the classification criteria are not met.

Substance
Propan-2-ol, CAS: 67-63-0
NOAEC, inhalative, Rat, 12500 mg/m³, OECD 451, negativ
2-Butoxyethanol, CAS: 111-76-2
LOAEL, oral, Rat, 69 mg/kg bw/day, Study, negativ
LOAEC, inhalative, Rat, 152 mg/m³, Study, negativ

Mutagenicity Does not contain a relevant substance that meets the classification criteria.

Substance
Propan-2-ol, CAS: 67-63-0
OECD 476, negativ

Reproduction toxicity Does not contain a relevant substance that meets the classification criteria.

- Fertility

Substance
Propan-2-ol, CAS: 67-63-0
NOAEL, oral, Rat, 1000 mg/kg bw/day
2-Butoxyethanol, CAS: 111-76-2
NOAEL, oral, Rat, 720 mg/kg bw/day, Study, negativ

- Development

Substance
Propan-2-ol, CAS: 67-63-0
oral, Rat, 596 mg/kg bw/day, OECD 414, negativ

Carcinogenicity Does not contain a relevant substance that meets the classification criteria.

Substance
2-Butoxyethanol, CAS: 111-76-2
NOAEC, inhalative, Rat, 125 mg/m³, Study, negativ

Aspiration hazard Based on available data, the classification criteria are not met.

General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Does not contain a relevant substance that meets the classification criteria.

Substance
Propane, CAS: 74-98-6
No information available.

11.2.2 Other information none

SECTION 12: Ecological information

12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.

Substance
Butane, CAS: 106-97-8
LC50, (48h), Invertebrates, 14,22 - 69,43 mg/L
Propane, CAS: 74-98-6
No information available.
Propan-2-ol, CAS: 67-63-0
LC50, (4d), Fish, 9,64 - 10 g/L
LC50, (24h), Invertebrates, 10 g/L
2-Butoxyethanol, CAS: 111-76-2
LC50, (96h), Oncorhynchus mykiss, 1474 mg/l (OECD 203)
EC50, (48h), Daphnia magna, 1550 mg/l (OECD 202)
EC50, (72h), Pseudokirchneriella subcapitata, 1840 mg/l (OECD 201)
EC0, (16h), Pseudomonas putida, 700 mg/l (DIN 38412)
NOEL, (21d), Brachidanio rerio, > 100 mg/l
NOEL, (21d), Daphnia magna, 100 mg/l (OECD 211)

12.2 Persistence and degradability

Behaviour in environment compartments not determined

Behaviour in sewage plant AOX-advice: No dangerous components.
Contain no organic complexing agents, which do not reach a DOC-elimination grade in appendix 49 after 28d of at least 80% (in accordance to no. 406 of the plant "analysis and measuring procedure").

Biological degradability The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.
Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Substance
Propan-2-ol, CAS: 67-63-0
The product is readily biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Does not contain a relevant substance that meets the classification criteria.

12.7 Other adverse effects

Ecotoxicological data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	Dispose of as hazardous waste.
Waste no. (recommended)	160504* gases in pressure containers (including halons) containing dangerous substances

Contaminated packaging

	Uncontaminated packaging may be taken for recycling.
Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances 150104

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID	1950
Inland navigation (ADN)	1950
Marine transport in accordance with IMDG	1950
Air transport in accordance with IATA	1950

14.2 UN proper shipping name

Transport by land according to ADR/RID	Aerosols
- Classification Code	5F
- Label	
- ADR LQ	1 l
- ADR 1.1.3.6 (8.6)	Transport category (tunnel restriction code) 2 (D)
Inland navigation (ADN)	Aerosols
- Classification Code	5F
- Label	
Marine transport in accordance with IMDG	Aerosols
- EMS	F-D, S-U
- Label	
- IMDG LQ	1 l
Air transport in accordance with IATA	Aerosols, flammable
- Label	

14.3 Transport hazard class(es)

Transport by land according to ADR/RID	2
Inland navigation (ADN)	2
Marine transport in accordance with IMDG	2.1
Air transport in accordance with IATA	2.1

14.4 Packing group

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID	no
Inland navigation (ADN)	no
Marine transport in accordance with IMDG	no
Air transport in accordance with IATA	no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 2024/573; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707
- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances ≥ 0.1% that are subject to authorisation.
- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1% of substances with the following restrictions. 40, 75 According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the following restrictions. 3
TRANSPORT-REGULATIONS	ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025, 66th Edition)
NATIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.
- Observe employment restrictions for people	Observe employment restrictions for young people.
- VOC (2010/75/CE)	33,2 288 g/l

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H315 Causes skin irritation.
H302 Harmful if swallowed.
H331 Toxic if inhaled.
H280 Contains gas under pressure; may explode if heated.
H220 Extremely flammable gas.

H336 May cause drowsiness or dizziness.
H319 Causes serious eye irritation.
H225 Highly flammable liquid and vapour.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform ChemicaL Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Aerosol 1: H222 Extremely flammable aerosol. (Bridging principle "Aerosols") H229 Pressurised container: May burst if heated. (Bridging principle "Aerosols")
Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

Modified position

2.3, 3.2, 8.1, 9.1, 11.1, 11.2, 12.1, 12.2, 12.6, 15.1, 16.2, 16.3

Copyright: Chemiebüro®